

# Hi3716MV330 HD DVB-T/T2 STB - Design

front view



Rear view



- Tuner type with European Din type.
- One USB output included.
- ANT IN and ANT OUT with Loop-through.

RCU



SIZE:133x43x20mm

## PRODUCT SUMMARY

Model No	Hi3716MV330 HD DVB-T/T2
CPU	High-performance ARM Cortex A9 processor(Hisilicon 3716M V330)
Tuner	1xDVB-T/T2 Tuner
SDRAM	16-bit memory width,Maximum memory of 128M Byte DDR3 SDRAM
FLASH	8MByte (NAND/SPI/SPI NAND flash)
Audio L/R	1
Composite	1
Demodulation mode	Annex A/B/C
SPDIF	NO
HDMI	1
USB 2.0/3.0	1 x USB 2.0
Ethernet	NO
CAS	SUNSHINE
EPG	7 Days
Buttons	NO
LED	1 ( Red Standby / Working Green)
Accessories	Power Adaptor(CE Type),User manual,Gift box, HDMI Cable(1m)AV Cable(1.2m),Remote Control with batteries

# Hi3716MV330 HD DVB-T/T2 STB - Design

## Specification

**Chipset** Hi3716MV330  
ARM Cortex A9 processor

**Flash** 8MByte (NAND/SPI/SPI NAND flash)

**RAM** DDR3 128MByte

**Tuner** DVB-T/T2x1 Tuner


**CAS** SUNSHINE

**SW** Linux

**Rear Output Connectors** -1xUSB2.0 -HDMI  
-Power DC 5V

**Dimension** 175mmx97mmx28mm

## Block Diagram



## RCU & Accessories

RCU logo to be printed.

User Manual.

HDMI cable included.

AV Cable included.

Battery.

AC Power Adapter.



RCU



AC Power Adapter



Battery  
(2 Pieces)



User Manual



HDMI cable  
(1 m)

Gift Box	Cartoon Box	Pallet	Container
	<p>ToTal:20PCS</p>	<p>1Pallet: 24CTNS ToTal:480PCS</p>	<p>20ft container: 451CTNS / 9020PCS 40ft container: 1040CTNS / 20800PCS 40ft HQ container: 1216CTNS / 24320PCS</p>

# CAS Partner

---

